

## Assignment 1 of CE2004, Principles of Programming Languages

Score: **100** points

Due Time: **23:00 12th April**

P.S.:

- (1) You need to type your answers in a file and print them out in answer sheets, then submit your answer sheets to the TAs.
  - (2) Late submission will not be accepted.
  - (3) You can discuss these questions with your classmates; however, copying other student's answers is strictly prohibited.
- 

(1) (6 points)

The CPU of Mary's computer can complete an instruction more quickly than the CPU of Tom's CPU; hence, Mary's computer can always complete a program more quickly than Tom's computer. Is the above statement correct? Give your explanation.

**Ans.**

(2) (12 points)

(a) What follows is a C program.

```
# include <stdio.h>
int  a;

int bar(int x, int y)
{ int  b;

  return b = x+y;
}
int main()
{ int  *p;

  p = (int *) malloc (sizeof(int));
  *p = bar (8,9);
}
```

In the above program, (i) which variables are static variables? (ii) And which variables are stack dynamic variables? (iii) And which variables are explicit-heap dynamic variables?

P.S.: A function formal parameter is also deemed as a variable.

(b) What follows is a Java program excerpt.

```
class Circle
{
    int setVariable(int s)
    { int r;

        r=6;
        return s+r;
    }
}
public class ShowArea
{
    public static void main(String args[])
    {
        Circle cir= new Circle();
        int a;

        a= cir.setVariable(8);
    }
}
```

In the above program, (i) which variables are static variables? (ii) And which variables are stack dynamic variables? (iii) And which variables are explicit-heap dynamic variables?

**Ans.**

**(3)** (9 points)

What follows is an excerpt of a Javascript program. Assume before location 1, variable `list` has never been used.

```
      :           -- location 1
list = [1, 2]
prefix= list      -- location 2
prefix = 47
list = prefix     -- location 3
      :
```

- (a) At location 1, what is the data type of variable `list`?
- (b) At location 2, what is the data type of variable `prefix`?
- (c) At location 3, what is the data type of variable `list`?

**Ans.**

(4) (12 points)

A program consists of the following two files, fileu.c and filev.c

```
/*===== fileu.c =====*/
int a=100;          // location 1
extern int t;      // location 2
int bar(int y)     // location 3
{int x;           // location 4
  x=y+t;          // location 5
  return(x);
}                  // location 6

/*===== filev.c =====*/
#include<stdio.h>
int t=9;           // location 7
extern int a;      // location 8
extern int bar(int); // location 9
int main()         // location 10
{ int z;          // location 11
  printf("a=%d\n",a);
  printf("bar(3)=%d\n",bar(3));
}                  //location 12
```

- List the locations of all variable definitions in the above two files.
  - List the locations of all variable declarations in the above two files.
  - List the locations of all function definitions in the above two files.
  - List the locations of all function declarations in the above two files.
- P.S.: A function formal parameter is also deemed as a variable.

**Ans.**

**(5)** (8 points) What follows is a C program.

```
#include <stdio.h>
int total_income, total_visitors_global;

void zoo(char *name, int visitors)
{int adult, children;
  static int total_visitors=0;
  :
  total_visitors=total_visitors+visitors; // location 1
  total_visitors_global=total_visitors;
  :
}
int main()
{
  int ticket_price_each_animal_type=2;

  printf("Good Morning!\n"); // location 2
  zoo("giraff", 600);
  zoo("elephant", 300);
  zoo("hippo",100);
  total_income=ticket_price_each_animal_type*total_visitors_global;
  :
}
```

(a) At location 1, list the names of variables or parameters that have memory assigned to it.

(b) At location 2, list the names of variables or parameters that have memory assigned to it.

**Ans:**

(6) (8 points)

Assume each integer variable uses four bytes to store its values. And each float point variable uses four bytes to store its value. For the following two C program excerpts,

(a) and (b), which of them have a type error? Explain your answers.

(a)

```
int a;
union course
{
    int    b;
    float  c;
} security;
security.b = 3;    // location 1
a = security.b;   // location 2
```

(b)

```
int a;
union course
{
    int    b;
    float  c;
} security;
security.c = 3.3; // location 3
a = security.c;   // location 4
```

**Ans.**

(7) (6 points)

What follows is the content of program add\_a.c.

```
/*-----*/
#include <stdio.h>
int a=1 , b=6;
int c[10000]={1};
int main()
{
    a=b+c[0];    /* location 1*/
}
/*-----*/
```

Assume add\_a.exe is the executable of add\_a.c.

What follows is the content of program add\_b.c.

```
/*-----*/
#include <stdio.h>
int a=1 , b=6;
int main()
{ int c[10000]={1};

    c[0]=1;
    a=b+c[0];      /*location 2*/
}
/*-----*/
```

Assume add\_b.exe is the executable of add\_b.c.

- (a) At location 1 of add\_a.c what is the value of variable a?
- (b) At location 2 of add\_b.c what is the value of variable a?
- (c) For files add\_a.exe and add\_b.exe, which of these two files has larger size and why?

**Ans.**

**(8) (12 points)**

```
#include <stdio.h>
int a;
int b=1;
void candy()
{ int c;
  c=100;
}
void bar()
{ int d;
  static int e;

  if(a==3)
    e=b;
  else
    candy();
  a=2;
}
```

```

main()
{ int g;

    a=3;        //location 1
    bar();      //location 2
    g=100*b;    //location 3
    bar();      //location 4
    g=200+a;    //location 5
}

```

- (a) For the above program, when the statement at location 1 is executed, how many variables, including static variables and stack-dynamic variables, have been created?
- (b) For the above program, when the statement at location 3 is executed, how many variables, including static variables and stack-dynamic variables, have been created?
- (c) For the above program, when the statement at location 5 is executed, how many variables, including static variables and stack-dynamic variables, have been created?

**Ans.**

**(9)** (8 points)

```

(a)      :
        a = 3.21;
          :
        a = "good morning!";
          :

```

If the above program statements can be successfully executed, which kind of type binding (static or dynamic) is used in the language that is used in the above statements?

```

(b)      :
        a = 3.21;
          :
        a = "good morning!";
          :

```

If the above program statements cannot be transferred to an executable file, which kind of type binding (static or dynamic) is used in the language that is used in the above statements?

**Ans.**

**(10)** (10 points)

Good language readability can improve writability.

Good language writability is detrimental to readability.

(a) Which one of the above two statements is correct? Which one of the above two statements is wrong?

(b) Give your explanation.

**Ans.**

**(11)** (9 points)

An object is a variable whose type is a class. However primitive types, such as type `int`, are not class. What follows is a Java program excerpt.

```
class Circle
{
    int setVariable(int s)
    { int r;

        r=6; //location 1
        return s+r;
    }
}
public class ShowArea
{
    public static void main(String args[])
    {
        Circle cir= new Circle();
        int a, b; //location 2

        a= cir.setVariable(8);
        b=a; //location 3
    }
}
```

In the above program, (i) At location 2, how many **objects** exist and what are they?

(ii) At location 1, how many **variables** exist and what are they? (iii) At location 3, how many **variables** exist and what are they?

Hint: A parameter is also deemed as a variable or an object.

**Ans.**